

CPSC156a: The Internet Co-Evolution of Technology and Society

Lecture 14: October 28, 2003

Peer-to-Peer File Sharing

Napster Client-Server Interaction






Searches a db of currently online users for one that has previously stored the requested MP3. Adds client, and its list to db.

Removes client₁ and its list from db

Notes on Client-Server Interaction

- Proprietary protocol and db search.
- · No MP3 files stored on server.
- Don't need usernames. Could have made the service anonymous.
- No need to save IP addresses between sessions. Many are assigned dynamically.
- Discussion point: Are anonymity and memorylessness threats or opportunities for business?

Napster Client-Client (P2P) Interaction



Note: This part uses "standard Internet protocols," e.g., FTP

Napster History

- 1987: MP3 format developed by Karlheinz Brandenburg of Fraunhofer Gesellschaft.
 "CD ripping" now feasible.
- 1999: Shawn Fanning develops Napster, believing he has "bypassed" copyright law. Napster has >25M users in its first year.
- Dec., 1999: RIAA sues Napster for "contributory and vicarious" copyright infringement.
- April, 2000: Metallica sues Napster, Yale, Indiana Univ., and USC. (Yale bans the use of Napster within a week.)

Napster History, continued

- July, 2000: US District Judge Patel grants RIAA's request for an injunction. The injunction is temporarily stayed soon thereafter.
- October, 2000: Napster announces a partnership with Bertlesmann AG (one of the "major labels" in the industry whose trade association is suing it!).
- January, 2001: Napster and Bertlesmann say that they will roll out a "subscription service" by "early summer" and will use "DRM technology."

Napster History, continued

- February, 2001: Ninth Circuit upholds lower court's findings that Napster is guilty of contributory and vicarious infringement.
- Summer, 2001: Napster and Bertelsmann fail to roll out subscription service.
- September, 2001: Napster reaches a settlement with music publishers (but not with RIAA record labels). However, CNET.com reports the number of users has "dropped from tens of millions...to almost zero."

Napster, R.I.P.!

Gnutella P2P File Sharing

- "Pure Peer-to-Peer."
- Peers communicate over standard HTTP.
- Goal is "total decentralization." In particular, no Napster-like server that "directs traffic," collects data, and otherwise centralizes control.

"A" Generates a Gnutella Request

- Creates
 - Search String 5
 - (Unique) Request ID N
 - Time-to-Live T
- Sends (A, S, N, T) to all of its Gnutella neighbors.

"B" Receives Gnutella Request (A, S, N, T)

- If B has already received request N or T=0, B drops this request and does nothing.
- B looks up 5 in its local file system and sends (N, Result) to A.
- B sends (B, S, N, T-1) to all of its Gnutella neighbors, and it records the fact that A has made the request N.
- When B receives a response of the form (N, Result) from one of its neighbors, it forwards this response to A.


Gnutella Advantages and Disadvantages

Main Advantage: "Search for S" can be done in many ways, e.g., structured database search, simple text matching, "fuzzy" text matching, etc. "Result" can take many forms.

Main Disadvantage: Inefficiency!

- "Flood" of Requests. If average number of neighbors is C and average TTL is D, each search can cause C^D request messages.
- Natural evolution into many barely-connected subnets, not one "user community."

Other Disadvantage: Request monitoring. (Comes with standard HTTP.)




•

•

Gnutella History

- Gnutella was written by Justin Frankel, the 21-year-old founder of Nullsoft.
- Nullsoft (maker of WinAmp) posted Gnutella on the Web, March 1999.
- Nullsoft acquired by AOL, June 1999.
- A day later AOL yanked Gnutella, at the bequest of Time Warner.
- People had already downloaded and shared the program.
- Gnutella continues today, run by independent programmers.

Number of Gnutella Hosts Over Time



Gnutella Clients

- · LimeWire
- BearShare
- XoloX
- Morpheus
- Phex
- Shareaza

... and many others, developed by companies and individuals.



 LimeWire, LLC, is a wholly owned subsidiary of the Lime Group, a "technology incubator" that owns several small, "innovative" companies.

 LimeWire provides a Java-based Gnutella client. This allows the software to run on multiple platforms with a consistent interface.

LimeWire's Business Strategy

- Distribute its software as "the best filesharing client available."
 - Take advantage of the Gnutella network (> 125000 hosts online simultaneously)
 - Improve and enhance interface
 - Reach more users by supporting multiple platforms
- Give away a free, ad-supported version; sell an ad-free, enhanced version for a small price.
- Charge companies for advertisements and provide partner links on website.

Kazaa

- Kazaa Media Desktop is produced by Sharman Networks, Ltd., "a consortium of private investors with multimedia interests" (see company website). Based in Australia with offices in Europe.
- Kazaa Media Desktop is a Windows filesharing client available for free download. The application displays an ad banner.
- Recently released Kazaa Plus, which costs \$29.95. This version has enhanced search features and no advertisements.
- Design goal: Achieve Napster-like efficiency and avoid Napster-like liability.

Kazaa File Sharing

- Peers connect directly to each other; content is distributed and there is no central server.
- Search requests are sent to the "nearest" supernode, which tries to locate the content; if it fails, the request is sent to other supernodes.
- Any node running Kazaa with a good Internet connection can become a supernode.
 - Other Kazaa users upload lists of shared files to neighboring supernodes.
 - Supernodes facilitate search but do not host content; peers connect directly to download files.
 - Supernode status is controlled by the software based on user settings (permission to become a supernode, bandwidth restrictions, etc.).

Freenet P2P File Sharing

- · Works similarly to Gnutella. Exceptions include:
 - Intermediaries store all results. (Diffuses responsibility.)
 - Uses proprietary protocol. (Eliminates HTTP monitorability.)
- Launched by Ian Clarke (Univ.of Edinburgh) in 1997.
- Explicitly anti-censorship, anti-copyright, and pro-anonymity in its goals.
- Less popular and less developed, although certain clients exist (see http://freeweb.sourceforge.net

for a FreeNet 0.4 client).

Reading Assignment this Week

The following two sections of the Digital Dilemma report on technical-protection systems are required reading:

http://books.nap.edu/html/digital_dilemma/ch5.html http://books.nap.edu/html/digital_dilemma/appE.html

The following two articles are optional: "The Heavenly Jukebox" by C. Mann and "With Cable TV at MIT, Who Needs Napster?" by J. Schwartz.