

# The Baker-Gill-Solovay Theorem

This is the proof that was presented in class on September 16, 2010. Throughout, points that you are encouraged to think through and justify in detail are marked by “(WHY?).”

This lecture started with the definition of an *oracle Turing Machine*; see Arora and Barak’s Definition 3.4. Similarly, for any oracle  $O$ , the class of languages recognizable by deterministic (respectively, nondeterministic), polynomial-time oracle TMs that are given access to oracle  $O$  is denoted  $P^O$  (respectively,  $NP^O$ ).

We first note that there is a set  $A$  such that  $P^A = NP^A$ . One such set is EXPCOM, which is defined as  $\{(M, x, 1^n) \text{ such that } M \text{ accepts } x \text{ in time at most } 2^n\}$ . It is fairly easy to see that  $P^{\text{EXPCOM}} = NP^{\text{EXPCOM}} = \text{EXP}$ , where EXP is the union, over all nonnegative integers  $c$ , of  $\text{DTIME}(2^{n^c})$ . By definition,  $P^{\text{EXPCOM}} \subseteq NP^{\text{EXPCOM}}$ , because every deterministic polynomial-time oracle TM is also a nondeterministic polynomial-time oracle TM. To see that  $\text{EXP} \subseteq P^{\text{EXPCOM}}$ , let  $S$  be an arbitrary set in EXP, and let  $M$  be a deterministic TM that runs in time  $2^{n^c}$  and recognizes  $S$ . A deterministic polynomial-time oracle TM with access to EXPCOM can determine whether  $x$  is in  $S$  with a single query to an EXPCOM oracle: If  $x \in \{0, 1\}^t$ , the query is  $(M, x, 1^t)$ ; note that the length of this query is polynomial in  $t$ , as required. Finally, note that  $NP^{\text{EXPCOM}} \subseteq \text{EXP}$ , because the computation of a nondeterministic polynomial-time machine with access to an EXPCOM oracle can be simulated deterministically in singly exponential time. Let  $W$  be a nondeterministic machine that runs in time  $p_1(n)$ , where  $p_1$  is a polynomial, and has access to an EXPCOM oracle. Consider a deterministic machine  $W'$  that simulates  $W$  without accessing the oracle; that is, if at some point  $W$  makes the EXPCOM query  $(M, y, 1^t)$ ,  $W'$  instead computes the oracle answer by simulating  $M$  on  $y$  for  $2^t$  steps. Note that, on input  $x$  of length  $n$ , any strings  $y$  or  $1^t$  that  $W$  computes when forming oracle queries must be of length polynomial in  $n$ . Thus, there is a polynomial  $p_2$  such that the time that  $W'$  requires to simulate an oracle query by  $W$  is bounded above by  $2^{p_2(n)}$ . The entire tree of possible computations by  $W$  on input  $x$  has size  $2^{p_1(n)}$ .  $W'$  can explore the entire tree (and accept if and only if it finds at least one accepting path) in time  $2^{p_1(n)} \cdot 2^{p_2(n)}$ , because the tree is of size  $2^{p_1(n)}$ , and the most time-consuming thing  $W'$  will ever have to do at any node of the tree is to compute the answer to an oracle query. Since the total running time of this deterministic simulation is singly exponential (specifically, bounded above by  $2^{(p_1+p_2)(n)}$ ), the language  $L(W^{\text{EXPCOM}})$  is in EXP. Since  $W$  is an arbitrary NP machine, this means that  $NP^{\text{EXPCOM}} \subseteq \text{EXP}$ .

We now turn to the proof that there is a set  $B$  such that  $P^B \neq NP^B$ .

For any set  $B$ , let  $U_B = \{1^n \text{ such that } \exists x \text{ of length } n \text{ in } B\}$ .

Then, for any  $B$ ,  $U_B \in NP^B$ . (WHY?)

We will construct a  $B$  such that  $U_B \notin P^B$ . Let  $M_i$  be the oracle TM given by the binary representation of  $i$ . Define the set  $B$  in an infinite number of “stages,” one for each non-negative integer  $i$ , so that it has the property that, for all  $i$ ,  $M_i^B$  does not recognize  $U_B$  in time  $\frac{2^n}{10}$ . Note that this is *stronger* than  $U_B \notin P^B$ .

**Stage 0:**  $B \leftarrow \emptyset$ .

Assume that we’ve done stages 0 through  $i - 1$  of the construction. At this point, membership or nonmembership in  $B$  has been fixed for some finite number of strings; say that the longest one of them has length  $n - 1$ . This value of  $n$  will be used in stage  $i$  of the construction.

**Stage i:** Run machine  $M_i$  on input  $1^n$  for  $\frac{2^n}{10}$  steps. When  $M_i$  needs the answer to an oracle query  $q$ , it does the following:

- \* If it has been determined in an earlier stage whether  $q$  is in  $B$ , then answer consistently with the earlier decision.
- \*\* If it has not been determined in an earlier stage whether  $q$  is in  $B$ , then answer NO (whether or not  $|q| < n$ ) and fix  $q$  as a non-member of  $B$ .

Finish off Stage  $i$  of the definition of  $B$  (by doing (1) and (2) below) in such a way that, if  $M_i$  halts within  $\frac{2^n}{10}$  steps, it makes the wrong decision. Note that \* and \*\* above ensure that, if  $M_i$  halts within  $\frac{2^n}{10}$  steps on  $1^n$ , it can actually make an ACC/REJ decision. **(WHY?)**

1. If it accepts, then define  $B \cap \{0, 1\}^n$  to be  $\emptyset$ . Note that this is consistent with \* and \*\*. **(WHY?)**
2. If it rejects, then choose a string  $q$  of length  $n$  whose membership in  $B$  has not been determined in an earlier stage and put it in  $B$ . Note that such a  $q$  must exist. **(WHY?)**

In case 1,  $M_i$  accepts  $1^n$ , but there is no string of length  $n$  in  $B$ . In case 2,  $M_i$  rejects  $1^n$ , but  $q$  is a string in  $B$  that has length  $n$ . Thus  $U_B$  is not correctly decided by  $M_i^B$  in time  $\frac{2^n}{10}$ . This holds for all  $i$ , and thus  $U_B$  is not recognized by *any* deterministic oracle machine with access to oracle  $B$  in time  $\frac{2^n}{10}$ . *A fortiori*,  $U_B \notin P^B$ .

There is one loose end in this argument that can be tied up easily: If  $t$  is a string that is never used in any stage of the construction, its membership in  $B$  can be set arbitrarily.

One interpretation of this result is that  $A$  is a very powerful oracle: If the class of deterministic, polynomial-time machines is given access to  $A$ , then it can gain no additional power by obtaining access to nondeterminism. Under the same interpretation,  $B$  is a weaker oracle: With access to  $B$ , deterministic, polynomial-time machines still cannot do everything that nondeterministic, polynomial-time machines can do.