

# CPSC 427a: Object-Oriented Programming

Michael J. Fischer

Lecture 22a  
November 17, 2011

# Design Patterns

# Design Patterns

## General OO principles

1. **Encapsulation** Data members should be private. Public accessing functions should be defined only when absolutely necessary. This minimizes the ways in which one class can depend on the representation of another.
2. **Narrow interface** Keep the interface (set of public functions) as simple as possible; include only those functions that are of direct interest to client classes. Utility functions that are used only to implement the interface should be kept private. This minimizes the chance for information to leak out of the class or for a function to be used inappropriately.
3. **Delegation** A class that is called upon to perform a task often delegates that task (or part of it) to one of its members who is an expert.

# What is a design pattern?

A pattern has four essential elements.<sup>1</sup>

1. A *pattern name*.
2. The *problem*, which describes when to apply the pattern.
3. The *solution*, which describes the elements, relations, and responsibilities.
4. The *consequences*, which are the results and tradeoffs.

---

<sup>1</sup>Erich Gamma et al., *Design Patterns*, Addison-Wesley, 1995.)


# Adaptor pattern

Sometimes a toolkit class is not reusable because its interface does not match the domain-specific interface an application requires.

Solution: Define an adapter class that can add, subtract, or override functionality, where necessary.

## Adaptor diagram


There are two ways to do this; on the left is a class adaptor, on the right an object adaptor.



## Indirection

This pattern is used to decouple the application from the implementation where an implementation depends on the interface of some low-level device.

Goal is to make the application stable, even if the device changes.





## Proxy pattern

This pattern is like Indirection, and is used when direct access to a component is not desired or possible.

Solution: Provide a placeholder that represents the inaccessible component to control access to it and interact with it. The placeholder is a local software class. Give it responsibility for communicating with the real component.

Special cases: Device proxy, remote proxy. In Remote Proxy, the system must communicate with an object in another address space.


## Polymorphism pattern

In an application where the abstraction has more than one implementation, define an abstract base class and one or more subclasses.

Let the subclasses implement the abstract operations.

This decouples the implementation from the abstraction and allows multiple implementations to be introduced, as needed.

## Polymorphism diagram



# Controller

A controller class takes responsibility for handling a system event.

The controller should coordinate the work that needs to be done and keep track of the state of the interaction. It should delegate all other work to other classes.

## Three kinds of controllers

A controller class represents one of the following choices:

- ▶ The overall application, business, or organization (facade controller).
- ▶ Something in the real world that is active that might be involved in the task (role controller).  
Example: A menu handler.
- ▶ An artificial handler of all system events involved in a given use case (use-case controller).  
Example: A retail system might have separate controllers for BuyItem and ReturnItem.

Choose among these according to the number of events to be handled, cohesion and coupling, and to decide how many controllers there should be.

## Bridge pattern

Bridge generalizes the Indirection pattern.

It is used when both the application class and the implementation class are (or might be) polymorphic.

Bridge decouples the application from the polymorphic implementation, greatly reducing the amount of code that must be written, and making the application much easier to port to different implementation environments.


## Bridge diagram

In the diagram below, we show that there might be several kinds of windows, and the application might be implemented on two operating systems. The bridge provides a uniform pattern for doing the job.

```
Window::draw_text() {
    WIP->draw_text();
}
```

```
ImageWindow::draw_border() {
    draw_rectangle();
}
```

```
DialogWindow::draw_box() {
    draw_rectangle();
    draw_text();
}
```



## Subject-Observer or Publish-Subscribe: problem

Problem: Your application program has many classes and many objects of some of those classes. You need to maintain consistency among the objects so that when the state of one changes, its dependents are automatically notified. You do not want to maintain this consistency by using tight coupling among the classes.

Example: An OO spreadsheet application contains a data object, several presentation “views” of the data, and some graphs based on the data. These are separate objects. But when the data changes, the other objects should automatically change.



## Subject-Observer or Publish-Subscribe: pattern


Call the SpreadsheetData class the **subject**; the views and graphs are the **observers**.

The basic Spreadsheet class composes an observer list and provides an interface for attaching and detaching Observer objects.

Observer objects may be added to this list, as needed, and all will be notified when the subject (SpreadsheetData) changes.

We derive a concrete subject class (SpreadsheetData) from the Spreadsheet class. It will communicate with the observers through a `get_state()` function, that returns a copy of its state.

# Subject-Observer or Publish-Subscribe: diagram



See textbook for more details.


## Singleton pattern

Suppose you need exactly one instance of a class, and objects in all parts of the application need a single point of access to that instance.

Solution: A single object may be made available to all objects of class **C** by making the singleton a static member of class **C**.

A class method can be defined that returns a reference to the singleton if access is needed outside its defining class.

## StringStore example



Example: Suppose several parts of a program need to use a `StringStore`. We might define `StringStore` as a singleton class.

The `StringStore::put()` function is made `static` and becomes a global access point to the class, while maintaining full protection for the class members.