# CPSC 467b: Cryptography and Computer Security

Instructor: Michael Fischer Lecture by Ewa Syta

> Lecture 13 February 20, 2012

CPSC 467b, Lecture 13

1/50

・ 同 ト ・ ヨ ト ・ ヨ ト …

-

#### Elliptic Curves Basics

Elliptic Curve Cryptography

CPSC 467b, Lecture 13

# **Elliptic Curves Basics**

- ▲ロ ▶ ▲ 圖 ▶ ▲ 圖 ▶ ▲ 圖 ● 今 Q @

CPSC 467b, Lecture 13

3/50

# Elliptic Curves

An *elliptic curve* E over a field K is a set of points (x, y) with  $x, y \in K$ , together with a special point  $\mathcal{O}$  called the *point at infinity*. The (x, y) points are the roots of a Weierstrauss equation of the form:

$$E: y^2 + a_1 xy + a_3 y = x^3 + a_2 x^2 + a_4 x + a_6,$$

where the polynomial on the right hand side has no double roots.

For particular fields K, the Weierstrauss equation takes a simpler form, as we shall see.

## EC over Real Numbers

### Definition (6.3 of Stinson)

Let  $a, b \in \mathbb{R}$  be constants such that  $4a^3 + 27b^2 \neq 0$ . A *non-singular* elliptic curve is the set *E* of solutions  $(x, y) \in \mathbb{R} \times \mathbb{R}$  to the equation

$$y^2 = x^3 + ax + b$$

together with a special point O called the *point at infinity*. The point at infinity is sometimes denoted by  $\infty$ .

# EC over Real Numbers

The condition  $4a^3 + 27b^2 \neq 0$  is necessary and sufficient to ensure that the elliptic curve equation has three distinct roots.

If  $4a^3 + 27b^2 = 0$ , then corresponding elliptic curve is called a *singular* elliptic curve.

Singular elliptic curves are not safe for cryptographic uses.

・ 同 ト ・ ヨ ト ・ ヨ ト …

# Example

Each choice of the numbers yields a different elliptic curve.



Image retrieved from http://en.wikipedia.org/wiki/Elliptic\_curve

# **EC** Operations

Exactly one of these conditions holds for any pair of points on an elliptic curve.



Image retrieved from http://en.wikipedia.org/wiki/Elliptic\_curve

・ 同 ト ・ ヨ ト ・ ヨ ト

-

# EC Modulo a Prime

Elliptic curves over  $\mathbb{Z}_p$  are defined exactly as they are over real numbers.

### Definition (6.4 of Stinson)

Let p > 3 be a prime. The elliptic curve  $y^2 = x^3 + ax + b$  over  $\mathbb{Z}_p$  is the set of solutions  $(x, y) \in \mathbb{Z}_p \times \mathbb{Z}_p$  to the congruence

$$y^2 \equiv x^3 + ax + b \mod p$$

where  $a, b \in \mathbb{Z}_p$  are constants such that  $4a^3 + 27b^2 \neq 0$ , together with a special point  $\mathcal{O}$  called the *point at infinity*.

- 4 同 2 4 回 2 4 U

# Example

# $E: y^2 = x^3 - x$ over finite field $\mathbb{F}_{61}$



Image retrieved from http://en.wikipedia.org/wiki/Elliptic\_curve

・ キョット 金田 マ キャット ほう うくの

CPSC 467b, Lecture 13

# Example

Elliptic curves mod p are finite sets of points. These are the elliptic curves we are interested in.

 $E: y^2 \equiv x^3 + 4x + 4 \mod 5$  creates the following group:

(0,2), (0,3), (1,2), (1,3), (2,0)(4,2), (4,3), O

To find the points, substitute each possible value of  $x = \{0, 1, 2, 3, 4\}$  into the equation and find the values of y that solve the equations.

For example,  $x \equiv 0 \Rightarrow y^2 \equiv 4 \Rightarrow y \equiv 2,3 \mod 5$ which gives us two points (0,2) and (0,3).

▲□ ▶ ▲□ ▶ ▲ □ ▶ ▲ □ ▶ ▲ □ ● ● ● ●

# Number of Points on a Curve

Theorem (Hasse's Theorem) Suppose E mod p has N points. Then

 $|N-p-1|<2\sqrt{p}.$ 

Hasse's theorem bounds the number of points on an elliptic curve over a finite field.

 $\#E(\mathbb{F}_p)$  lies in the interval  $(p+1-2\sqrt{p}, p+1+2\sqrt{p})$ .

# Adding Points

All arithmetic operations are performed in  $\mathbb{Z}_p$ .

Unfortunately, the addition of points on an elliptic curve over  $\mathbb{Z}_p$  does not have the nice geometric interpretation that it does on an elliptic curve over  $\mathbb{R}$ .

◆□ ▶ ◆□ ▶ ◆ □ ▶ ◆ □ ● ● ● ● ● ●

# Adding Points

Let  $P = (x_P, y_P)$ ,  $Q = (x_Q, y_Q)$  and  $R = (x_R, y_R)$  be points on E.

- 1. Add the point at infinity to itself.  $\mathcal{O} + \mathcal{O} = \mathcal{O}$
- 2. Add the point at infinity to any other point. P + O = O + P = P
- Add two points with the same *x*-coordinates and different (or equal to 0) *y*-coordinates: x<sub>Q</sub> = x<sub>P</sub> and y<sub>Q</sub> = −y<sub>P</sub>. P + Q = Ø

▲□ ▶ ▲□ ▶ ▲ □ ▶ ▲ □ ▶ ▲ □ ● ● ● ●

# Adding Points

- 4. Add two points with different x-coordinates. P + Q = R  $x_R = \lambda^2 - x_P - x_Q, \ y_R = \lambda(x_P - x_R) - y_P$   $\lambda = (y_Q - y_P)(x_Q - x_P)^{-1}$
- 5. Add a point to itself (*point doubling*).

$$P + P = R$$
  

$$x_R = \lambda^2 - 2x_P, y_R = \lambda(x_P - x_R) - y_P$$
  

$$\lambda = (3x_P^2 + a)(2y_P)^{-1}$$

# Why adding points works? (6.5.1 of Stinson)

The algebraic formula follows the geometric addition. Here it how it works.

To add two points, P and Q, we define L to be the line through P and Q. The line L will intersect E in one further point R'. If we reflect R' in the x-axis, then we get a point which we name R.

The equation of *L* is is  $y = \lambda x + \nu$ , where the slope of *L* is

$$\lambda = \frac{y_Q - y_P}{x_Q - x_P}$$

and

$$\nu = y_P - \lambda x_P = y_Q - \lambda x_Q$$

- < ロ > < 個 > < 画 > < 画 > 、 画 > < 画 > く 画 > <

# Why adding points works?

In order to find the points  $E \cap L$ , we substitute  $y = \lambda x + \nu$  into the equation E, obtaining the following:

$$(\lambda x + \nu)^2 = x^3 + ax + b$$

which is the same as

$$x^{3} - \lambda^{2}x^{2} + (a - 2\lambda\nu)x + b - \nu^{2} = 0$$

 $E \cap L$  consists of three points, two of which we already know: P and Q. The roots of the above equation are the *x*-coordinates of the points in  $E \cap L$ , hence,  $x_P$  and  $x_Q$  are the two roots.

# Why adding points works?

Since the equation is cubic, there are three roots. The sum of three roots must be the negative of the coefficient of the quadratic term, or  $\lambda^2$ . Therefore:

$$x_{R'} = \lambda^2 - x_P - x_R$$

where  $x_{R'}$  is the x-coordinate of the point R'. We will denote the y-coordinate of R' by  $-y_R$ , so the y-coordinate of R will be  $y_R$ .

An easy way to compute  $y_R$  is to use the fact that the slope of L, namely  $\lambda$  is determined by any two points on L.

# Why adding points works?

If we use the points  $(x_P, y_P)$  and  $(x_R, -y_R)$  to compute this slope, we get:

$$\lambda = \frac{-y_R - y_P}{x_R - x_P}$$

or

$$y_R = \lambda (x_P - x_R) - y_P$$

Note, that  $x_{R'} = x_R$ . Therefore, we derived a formula for P + Q = R if  $P \neq Q$ . A formula for P + Q = R if Q = P can be derived in a similar fashion.

-

# EC Groups

As noted before, elliptic curves mod p are finite sets of points.

The set of points on E forms a group given the + operator. The group operator is defined using the addition law.

The group is abelian since P + Q = Q + P.

 $E(\mathbb{F}_p)$  denotes an elliptic curve group over  $\mathbb{F}_p$ . # $E(\mathbb{F}_p)$  denotes the order (cardinality) of  $\mathbb{F}_p$ .

# Why points over an EC form a group?

#### Definition

A group  $(G, \circ)$  is a set G with a binary operation  $\circ : G \times G \to G$  such that the following four axioms are satisfied:

Associativity: For all  $a, b, c \in G$  the equation  $(a \circ b) \circ c = a \circ (b \circ c)$  holds.

*Identity element:* There is an element  $e \in G$  s.t. for all  $a \in G$  the equation  $e \circ a = a \circ e = a$  holds.

*Inverse element:* For each  $a \in G$  there exists an element  $b \in G$  s.t.  $a \circ b = b \circ a = e$ .

# Why points over an EC form a group?

Associativity: Points can be added in any order.

Identity element:  $\mathcal{O}$  is an identity with respect to addition.

*Inverse element:* Every point on *E* has an inverse with respect to addition: P + (-P) = O where  $P = (x_P, y_p)$  and  $-P = (x_P, -y_P)$ .

Therefore, (E, +) is a group.

Additionally, the group operator + is commutative since P + Q = Q + P. Hence, (E, +) in an abelian group.

= 900

・ 同 ト ・ ヨ ト ・ ヨ ト …

# EC in Characteristic 2

Elliptic curves can also be defined over finite fields  $GF(2^n)$ .

See 16.4 of Trappe & Washington for details.

CPSC 467b, Lecture 13

23/50

# Other Operations

For many of the crypto schemes we need to perform multiplication. In our case we have the + operator to work with.

Let k be an integer and P a point on E.  $k \times P$  (or kP)<sup>1</sup> is defined as adding P to itself k times.

Once we calculate  $k \times P$ , it is extremely difficult to recover k from  $k \times P$ . The only way to recover k from  $k \times P$  is to try every possible repeated addition of P.

<sup>&</sup>lt;sup>1</sup>Notice, that we do not define a multiplication operator over  $E \rightarrow E \rightarrow \mathbb{R}$ 

# Elliptic Curve Discrete Logarithm Problem

Let P be a point on E. Compute  $Q = k \times P$ . Then, ECDLP: given P and Q compute k.

This allows us to translate crypto schemes based on DLP to EC-based schemes.

周 ト イ ヨ ト イ ヨ ト

# Elliptic Curve Cryptography

CPSC 467b, Lecture 13

26/50

# Elliptic Curve Cryptography

Originally independently proposed by Neal Koblitz (University of Washington) and Victor Miller (IBM) in 1985.

ECC was proposed as an alternative to other public key encryption algorithms, for example RSA.

All ECC schemes are public key, and are based on ECDLP.

・ 同 ト ・ ヨ ト ・ ヨ ト

# EC Cryptosystems

There are many EC cryptosystems used in practice. We will have a look at three elliptic curve versions of classical crypto systems:

- 1. ElGamal
- 2. Diffie-Hellman Key Exchange
- 3. DSA

くぼう くほう くほう

-

# Why ECC?

The computational overhead of RSA increases with the key lengths. Faster computers and better factorization algorithms force us to use longer keys.

In case of EC, we are able to use smaller primes, or smaller finite fields and achieve a level of security comparable to that for much larger integers mod p.

This allows for much efficient crypto systems!

▲ロ▶ ▲冊▶ ▲ヨ▶ ▲ヨ▶ ヨ のの⊙

# Comparison of Key Lengths

Symmetric Key Size (bits)	RSA and Diffie-Hellman Key Size (bits)	Elliptic Curve Key Size (bits)
80	1024	160
112	2048	224
128	3072	256
192	7680	384
256	15360	521

Image retrieved from http://www.nsa.gov/business/programs/elliptic\_curve.shtml

CPSC 467b, Lecture 13

30/50

## Where EC Cryptosystems are used?

EC Cryptosystems can be used wherever classic crypto systems are used.

The main advantage of ECC are lower computational requirements. For this reason, ECC algorithms can be easily implemented on smart cards, pagers, or mobile devices. Some smart cards can only work with ECC.

ECC are also well suited for applications that need long term security requirements at a reasonable computational cost.

# Changing a Classical Cryptosystem into EC System

There is a general procedure for changing a classical system based on discrete logarithms into one using elliptic curves:

- 1. Change modular multiplication to addition of points on an elliptic curve.
- 2. Change modular exponentiation to "multiplying" a point on an elliptic curve by an integer.

## Representing Plaintext

In most crypto systems, we need a way of mapping our message into a numerical value upon which we can perform mathematical operations.

To use EC cryptosystems, we need to map a message into a point on an elliptic curve.

Recall, that we can use a point on the curve and produce another point on the curve. EC crypto systems use the plaintext point on E to yield a new point on E that will serve as ciphertext.

# **Encoding** Plaintext

The problem of encoding plaintext is quite difficult since there is no known polynomial time, deterministic algorithm for writing down points on an arbitrary elliptic curve  $E \mod p$ .

However, there are fast probabilistic methods for finding points and these can be used for encoding messages.

These methods have the property that with small probability they will fail to produce a point, however, by appropriately choosing parameters, this probability can be made arbitrarily small.

Example: Koblitz's Method

# Koblitz's Method

Encoding

- 1. Pick an elliptic curve which has N points on it.
- Define an alphabet to encode. For example: {0,1,...,9, A, B, C,..., XYZ}. This alphabet converts a message into a series of numbers between 0 and 35.
- 3. Choose an auxiliary base parameter k, which both parties should agree on.
- 4. For each number mk, take x = mk + 1 and try to solve for y. If you can't do it, then try x = mk + 2, x = mk + 3 until it can be solved for y.

5. Create a point 
$$P_m = (x, y)$$
.

The probability that we will fail to find a square (and hence fail to associate *m* with a point) is about  $\frac{1}{2^k}$ .

◆□ ▶ ◆□ ▶ ◆ □ ▶ ◆ □ ● ● ● ● ● ●

# Koblitz's Method

Decoding

Compute  $m' = \frac{x-1}{k}$  and set *m* to be the greatest integer < m'.

Koblitz's method description from Padma Bh, D. Chandravathi , P. Prapoorna Roja, Encoding And Decoding of a Message in the Implementation of Elliptic Curve Cryptography using Koblitzs Method

-

# Koblitz's Method Example

Encode

- 1. Assume that the curve parameters are p = 751, a = -1, b = 188, n = 727, k = 20.
- 2. The message to encode is  $m = B^{\circ} = 11$ .
- 3. First, check x = mk + 1, x = mk + 2, and so on.
  - x = 221, no y exists
  - x = 222, no y exists
  - x = 223, no y exists

$$x = 224, y = 248$$

4. Create  $P_m = (224, 248)$ .

Decode

- 1. Compute  $\frac{x-1}{k} = \frac{224-1}{20} = \frac{223}{20} \approx 11.15$ .
- 2. Return 11 as the original plaintext.

- ▲ 目 > ▲ 目 > ▲ 目 > 2 〇

# ElGamal

Recall non-EC version:

- 1. Alice wants to send a message x to Bob.
- 2. Bob chooses a large prime p and an integer  $\alpha \mod p$ . He also chooses a secret integer a and computes  $\beta \equiv \alpha^a \mod p$ .
- 3. Bob makes  $p, \alpha, \beta$  his public key, and keeps a secret.
- 4. Alice chooses random k and computes  $y_1$  and  $y_2$ , where  $y_1 \equiv \alpha^k$  and  $y_2 \equiv x\beta^k \mod p$ .
- 5. She sends  $(y_1, y_2)$  to Bob, who then decrypts by calculating  $x \equiv y_2 y_1^{-a} \mod p$ .

# EC Domain Parameters

EC Domain Parameters yield a set of information for communication parties to identify a certain elliptic curve group.

The domain parameters comprise:

- finite field  $\mathbb{F}_p$
- coefficients a and b of the Weierstrass equation

• base point 
$$G \in E(\mathbb{F}_p)$$

• cofactor  $h = \frac{\# E(\mathbb{F}_p)}{n}$ , where *n* is the order of *G* 

# EC ElGamal

- 1. Bob chooses an elliptic curve *E* mod *p*. He chooses a point  $\alpha$  on *E* and a secret integer *a*. He computes  $\beta = a \times \alpha$ .
- 2. The points  $\alpha$  and  $\beta$  are made public, while *a* is kept secret.
- Alice expresses her message as a point X on E. She chooses a random k, computes Y<sub>1</sub> = k × α and Y<sub>2</sub> = X + k × β, and sends the pair (Y<sub>1</sub>, Y<sub>2</sub>) to Bob.
- 4. Bob decrypts by calculating  $X = Y_2 a \times Y_1$ .

# EC ElGamal Example

Let's use a prime p = 8831, the point G = (4, 11), and a = 3. To make G lie on a EC, we take b = 45. Our E:  $y^2 = x^3 + 3x + 45$ 

Alice has a message represented as a point  $P_m = (5, 1743)$  that she wishes to send to Bob.

-

# EC ElGamal Example

Bob chooses a random number  $a_B = 3$  and publishes the point  $a_B \times G = (413, 1808)$ .

Alice obtains this and chooses a random number k = 8.

She sends Bob  $k \times G = (5415, 6321)$  and  $P_m + k(a_B \times G) = (6626, 3576)$ .

He first calculates  $a_B(k \times G) = 3(5415, 6321) = (673, 146)$ .

He now subtracts this from (6626, 3576): (6626, 3576) - (673, 146) = (6626, 3576) + (673, -146) = (5, 1743).

# Difficulties with EC ElGamal

There are some practical difficulties in implementing an EC ElGamal crypto system.

When implemented in  $\mathbb{Z}_p$ , ElGamal has a message expansion factor of two. An EC implementation has a message expansion factor of about four. This happen because there are approximately pplaintexts, but each ciphertext consists of four elements.

However, a more serious problem is that the plaintext space consists of the points on the curve E, and there is no convenient method known of deterministically generating points on E.

# EC Diffie-Hellman

Alice and Bob want to exchange a key. In order to do so, they agree on an elliptic curve E and a public base point G on E.

- 1. Alice and Bob choose random integers  $k_A$  and  $k_B$  respectively.
- 2. Alice computes  $a = k_A \times G$  and sends to Bob.
- 3. Bob computes  $b = k_B \times G$  and sends to Alice.
- 4. Alice and Bob compute  $a \times b$ .  $(k_A \times k_B) \times G = k_A \times (k_B \times G) = k_B \times (k_A \times G)$

## EC Diffie-Hellman Example

Alice and Bob agree on p = 7211, a = 1, G = (3, 5), b = 7206.

- 1. Alice randomly chooses  $k_A = 12$ , Bob chooses  $k_B = 23$ .
- 2. Alice computes  $a = k_A \times G = 12 \times (3,5) = (1794,6375)$  and sends to Bob.
- 3. Bob computes  $b = k_B \times G = 23 \times (3, 5) = (3861, 1242)$  and sends to Alice.
- 4. Alice and Bob compute  $a \times b$ .
  - Alice takes *b* and multiplies by  $k_A$  to get the key:  $k_A \times b = k_A(k_B \times G) = 12(3861, 1242) = (1472, 2098)$
  - Bob takes a and multiplies by  $k_B$  to get the key:  $k_B \times a = k_B(k_A \times G) = 23(1794, 6375) = (1472, 2098)$

= na0

# EC DSA

Alice wants to sign a message m which satisfies  $0 \le m \le q$ . She needs to choose a prime p and an elliptic curve E.

Then, Alice computes the number of points *n* on *E* and finds a large prime factor *q* of *n*. She chooses a point  $A \neq O$  so that  $q \times A = O$ .

Alice chooses her secret integer *a* and computes  $B = a \times A$ .

The public information is p, E, q, A, B.

# EC DSA: Signing

Alice does the following to sign a message m:

- 1. Chooses a random integer k with  $1 \le k \le q$  and computes  $R = k \times A = (x, y)$ .
- 2. Computes  $s \equiv k^{-1}(m + ax) \mod q$ .
- 3. Sends the signed message (m, R, s) to Bob.

# EC DSA: Verification

Bob verifies the signature as follows:

- 1. Computes  $u_1 \equiv s^{-1}m \mod q$  and  $u_2 \equiv s^{-1}x \mod q$ .
- 2. Computes  $V = u_1 \times A + u_2 \times B$ .
- 3. Declares the signature valid iff V = R.

・ 同 ト ・ ヨ ト ・ ヨ ト …

-

# Choosing Elliptic Curves

# A list of elliptic curves recommended by NIST for cryptographic uses is specified in FIPS PUB 186-3 (Appendix D).

http://csrc.nist.gov/publications/fips/fips186-3/fips\_186-3.pdf

CPSC 467b, Lecture 13

49/50

・ 同 ト ・ ヨ ト ・ ヨ ト …

-

# Additional Resources

#### ECC Tutorial, Certicom

http://www.certicom.com/index.php/ecc-tutorial

#### Geometric Elliptic Curve Model, Certicom

http://www.certicom.com/ecc\_tutorial/ecc\_javaCurve.html

#### Finite Geometric Elliptic Curve Model, Certicom

http://www.certicom.com/ecc\_tutorial/ecc\_twopoints.html

# Douglas Stinson, Cryptography: Theory and Practice, Second Edition, 2002

くぼう くほう くほう